•		HÝ
	Application No.	Applicant(s)
Notice of Allowability	10/625,920	JORDANOV ET AL.
	Examiner	Art Unit
	Albert J. Gagliardi	2878
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>submissions of 24 Juli</u>	<u>y 2003</u> .	· V ·
2. The allowed claim(s) is/are 1 and 2.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No.  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (c) Lidentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the		
attached Examiner's comment regarding REQUIREMENT I  Attachment(s)  1. ☑ Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 8), 7. ☐ Examiner's Amendi	te ment/Comment
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	. –	ent of Reasons for Allowance
of Biological Material	9.	
·		

Application/Control Number: 10/625,920 Page 2

Art Unit: 2878

EXAMINER'S COMMENT AND STATEMENT OF REASONS FOR ALLOWANCE

Comment on Submissions

1. This action is responsive to submissions of 24 July 2003.

Drawings

2. The drawings were received on 6 February 2004. These drawings are acceptable.

Information Disclosure Statement

3. The listing of references in the specification is not a proper information disclosure

statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information

submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be

incorporated into the specification but must be submitted in a separate paper." Therefore, unless

the references have been cited by the examiner on form PTO-892, they have not been

considered.

Allowable Subject Matter

4. Claims 1-2 are allowed.

5. The following is an examiner's statement of reasons for allowance:

6. Regarding independent claims 1 and 2, the prior art does not disclose or fairly suggests a

method or apparatus for stabilizing a scintillation detector including a photomultiplier including,

among other elements a pulsed light source and means for directing light from the light source to

both a photodetector and a photomultiplier; and a control unit receiving signals representing

signals representing a temperature of the scintillator and light received from both the

photodetector and the photomultiplier.

Application/Control Number: 10/625,920

Art Unit: 2878

The examiner notes that while a wide variety of scintillation and photomultiplier stabilization means based on light and/or temperature (see for example Rozsa – US 6,407,390 B1; Kimmich *et al.* – US 6,087,656; Nurmi *et al.* – US 5,548,111; and Brown – US 4,346,590), such prior does not fairly suggest the presently claimed invention.

7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Albert J. Gagliardi whose telephone number is (571) 272-2436.

  The examiner can normally be reached on Monday thru Friday from 9 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/625,920

Art Unit: 2878

Information regarding the status of an application may be obtained from the Patent 10.

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Albert J. Gagliardi **Primary Examiner** 

Page 4

Art Unit 2878

AJG